

00 00000000 000000 00000 00000000 00000000 00000000 00000000
000000 00000 0000 0000 000 000 000000000000 00000000 00 000000
(ICERP2) 00 000000000000 000000 00000000 0000000000 0000 0000 .

:0000 00 00 00000000 00 00 0 0000 00 0000000000 00000 00000
0000 0000 00 00 000000000000 00000000 00 000000 0000000000 0000
00 00000 000000000 00 00000 0000000 00000 0000 0000000
0000 00 0000 00 0000 0000 0000000 00000000 00000 000000000000
.0000 0000000000 00 000000 00 00000000

0 00000 0000000 00 0000000000 0000 00000000 00000000 00 000000 00000
00 0 0000000 0000 00 :00000 00000 0 0000000 0000000000 00000 00000
0000 0000 00000000000000 00000000 0000 000000 00 0000000000 00000000
000000 00000000000000 00 0 000 00000000 0000 0000 0000000000 00000000

0000 0 00 000000 000000 000000 00000000 00000000 0 000000
.00 00000 000000 000000000 00 00 00000000

0000000 000000 00 000 0000000 0000000000000 00000 00000
000000 0000000 000000000000 :000000 0000000000000 000000000
0 00 000000 0000 0000000000 0000000000 00000000 0000 00 000000000
00000000 00000000 00 00000 000000000000 00000000 00 0 00000000
00000000 00000000 00 000000000000 0 00000000000000 00000000 000000000
00000 000000000000 00 00000 000000000 7 00000 00 0000000 00
.00 00000000 0000 0 0000 000000000000 00000000

00000000 0000 0000000 00 :0000 00000 00000 00000000 00000
00000 00 PCR-Time Real 00000000 00 00000000000000 000000000
00000000 0000000 0000000 00000 00 00000000 0 0000000 0000000000
000000000 000000000000000 00000000 0000 0000 000000 00 0 00000
BS430 00 00000 400 0000 00 00000 0000 0000000 0000000000
00000000 0 ... 0 000000 000000000000 0 000000 0 0000 00000 000000000
0 00 00000 00 0000000 0000 0000000 0000 0000000000 0000000 00
.00 00000000 0000 0000000000000 0000 00 000000 00000000000

0000 0 0000000000 000000 0000000 0000 0000 00 0000000000 0000
00 000000000 0000000000 000000000 0000 00 0000 00000 0000000000000
000000 00000000000000 00 00000000 000000000 000000 0000000 00 0000000
.00000000 0000000000 00000000